

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **1-Butanol**

Stock number: L13171

CAS Number:  
71-36-3

EC number:  
200-751-6

Index number:  
603-004-00-6

**1.2 Relevant identified uses of the substance or mixture and uses advised against.**

Identified use: SU24 Scientific research and development

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Thermo Fisher (Kandel) GmbH  
Zeppelinstr. 7b  
76185 Karlsruhe / Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300  
Email: tech@alfa.com  
www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0

**1.4 Emergency telephone number:**

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)  
Poison Information Center Mainz  
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240


**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

 GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

 GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

 GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Other hazards that do not result in classification No information known.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

**Hazard pictograms**

    
GHS02 GHS05 GHS07

**Signal word** Danger

**Hazard statements**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

**CAS# Designation:**

71-36-3 1-Butanol

Concentration: ≤100%

Identification number(s):

EC number: 200-751-6

Index number: 603-004-00-6

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

**After skin contact**

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Trade name **1-Butanol**

(Contd. of page 1)

**After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

**After swallowing** Seek medical treatment.

**4.2 Most important symptoms and effects, both acute and delayed**

Causes skin irritation.

Harmful if swallowed.

Causes serious eye damage.

May cause respiratory irritation.

May cause drowsiness or dizziness.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

**6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** Keep away from ignition sources.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep containers tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

**Information about protection against explosions and fires:**

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and containers:** No special requirements.

**Information about storage in one common storage facility:** Store away from oxidising agents.

**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**8.1 Control parameters**

**Components with critical values that require monitoring at the workplace:**

**71-36-3 1-Butanol (100,0%)**

AGW (Germany) Long-term value: 310 mg/m<sup>3</sup>, 100 ppm  
1(I);DFG, Y

PEL (USA) Long-term value: 300 mg/m<sup>3</sup>, 100 ppm

REL (USA) Ceiling limit: 150 mg/m<sup>3</sup>, 50 ppm

TLV (USA) Long-term value: 61 mg/m<sup>3</sup>, 20 ppm

**Ingredients with biological limit values:**

**71-36-3 1-Butanol (100,0%)**

BGW (Germany) 2 mg/g Kreatinin  
Untersuchungsmaterial: Urin  
Probennahmezeitpunkt: vor nachfolgender Schicht  
Parameter: 1-Butanol

10 mg/g Kreatinin  
Untersuchungsmaterial: Urin  
Probennahmezeitpunkt: Expositionsende bzw. Schichtende  
Parameter: 1-Butanol

**Additional information:** No data

**8.2 Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use breathing protection with high concentrations.

**Recommended filter device for short term use:**

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

(Contd. on page 3)

Trade name **1-Butanol**

(Contd. of page 2)

**Protection of hands:**

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** 480

**Glove thickness:** 0.4 mm

**Eye protection:**

Tightly sealed safety glasses.

Face protection

Safety glasses with side shields / NIOSH (US) or EN 166(EU)

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Liquid

**Odour:** Alcohol-like

**Odour threshold:** Not determined.

**pH-value (70 g/l) at 20 °C:** 7

**Change in condition**

**Melting point/freezing point:** -90 °C

**Initial boiling point and boiling range:** 117-118 °C

**Sublimation temperature / start:** Not determined

**Flash point:** 35 °C

**Inflammability (solid, gaseous)** Not determined.

**Ignition temperature:** 340 °C

**Decomposition temperature:** Not determined

**Self-inflammability:** Not determined.

**Explosive properties:**

Product is not explosive. However, formation of explosive air/steam mixtures is possible.

**Critical values for explosion:**

**Lower:** 1,5 Vol %

**Upper:** 9,4 Vol %

**Steam pressure at 20 °C:** 5,6 hPa

**Density at 20 °C** 0,81 g/cm<sup>3</sup>

**Relative density** Not determined.

**Vapour density** Not determined.

**Evaporation rate** Not determined.

**Solubility in / Miscibility with**

**Water at 20 °C:** 77 g/l

**Partition coefficient: n-octanol/water:** Not determined.

**Viscosity:**

**dynamic at 20 °C:** 2,95 mPas

**kinematic:** Not determined.

**9.2 Other information** No further relevant information available.

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No information known.

**10.2 Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** Oxidising agents

**10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

Harmful if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

Harmful if swallowed.

**LD/LC50 values that are relevant for classification:**

Oral LD50 790 mg/kg (rat)

**Skin irritation or corrosion:**

Causes skin irritation.

Causes skin irritation.

**Eye irritation or corrosion:**

Causes serious eye damage.

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

**Specific target organ system toxicity - repeated exposure:** No effects known.

**Specific target organ system toxicity - single exposure:**

May cause drowsiness or dizziness.

May cause respiratory irritation.

**Aspiration hazard:** No effects known.

**Subacute to chronic toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water.

(Contd. on page 4)

Trade name **1-Butanol**



(Contd. of page 3)

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
**12.5 Results of PBT and vPvB assessment**  
PBT: Not applicable.  
vPvB: Not applicable.  
**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**  
**Recommendation**  
Hand over to disposers of hazardous waste.  
Must be specially treated under adherence to official regulations.  
Consult state, local or national regulations for proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

<b>UN-Number</b> ADR, IMDG, IATA	UN1120
<b>14.2 UN proper shipping name</b> ADR IMDG, IATA	1120 BUTANOLS BUTANOLS
<b>14.3 Transport hazard class(es)</b> ADR	
	
<b>Class</b> <b>Label</b> IMDG, IATA	3 (F1) Flammable liquids. 3
	
<b>Class</b> <b>Label</b>	3 Flammable liquids. 3
<b>Packing group</b> ADR, IMDG, IATA	III
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b> Kemler Number: EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E,S-D A
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b> Excepted quantities (EQ): Limited quantities (LQ) Excepted quantities (EQ)	E1 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>Transport category</b> <b>Tunnel restriction code</b>	3 D/E
<b>IMDG</b> Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 1120 BUTANOLS, 3, III

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Australian Inventory of Chemical Substances Substance is listed.  
Standard for the Uniform Scheduling of Medicines and Poisons S5, S6  
Directive 2012/18/EU  
Named dangerous substances - ANNEX I Substance is not listed.  
Seveso category P5c FLAMMABLE LIQUIDS  
Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t  
Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t  
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40  
National regulations  
Information about limitation of use:  
Employment restrictions concerning young persons must be observed.  
For use only by technically qualified individuals.  
Classification according to VbF: A II  
Technical instructions (air):  

Class	Share in %
NK	100,0

  
**Water hazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.  
**Other regulations, limitations and prohibitive regulations**  
**ELINCS (European List of Notified Chemical Substances)** Substance is not listed.  
**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.  
**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**  
 Substance is not listed.  
**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

(Contd. on page 5)  
DE

Trade name **1-Butanol**

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

**SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety and Health Administration (USA)  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

DE